

A close-up photograph of a dark, heavily rusted metal pipe. A white oval sticker with the word "PULFRESH" in orange and green lettering is affixed to the pipe. The background is a blurred, light-colored surface.

PULFRESH

P9

**RUST REMOVER
LIMESCALE REMOVER
HARD STAINS REMOVER**

FOR GENERAL CLEANING



- Step 1: Dilute 100 ml (about 3 cup) of Pulfresh P9 in a bucket of water (4-5 liters).
- Step 2: Use a mop or cloth to apply the diluted solution across the floor.
- Step 3: Allow the cleaner to sit for 5-10 minutes to break down dirt and grime.
- Step 4: Rinse the floor with clean water or wipe with a damp mop to remove any residue.
- Step 5: Let the floor dry naturally for a clean, fresh result.

HOW TO USE

- Step 1: Apply Pulfresh P9 directly to the stained area without dilution.
- Step 2: Let it sit for 15-20 minutes to penetrate the stain.
- Step 3: Scrub the area gently with a soft-bristle brush or scrub pad.
- Step 4: Rinse the surface thoroughly with clean water or wipe with a damp cloth.
- Step 5: Repeat if necessary for stubborn stains.



FOR HARD STAIN REMOVAL

FOR RUST REMOVAL



- Step 1: Apply Pulfresh P9 directly to the rusted area.
- Step 2: Allow the lime-powered formula to sit for 15-20 minutes.
- Step 3: Scrub gently with a sponge or brush to loosen the rust.
- Step 4: Rinse the area thoroughly with water and wipe it dry.
- Step 5: For heavily rusted areas, you may need to repeat the process.



- Step 1: Apply Pulfresh P9 directly to the mineral deposits or dilute for lighter buildup.
- Step 2: Let the cleaner sit for 15-20 minutes to dissolve the deposits.
- Step 3: Scrub the area with a sponge or brush.
- Step 4: Rinse the surface well with clean water to remove any remaining residue.
- Step 5: Wipe dry for a polished finish.



FOR MINERAL DEPOSIT REMOVAL